

CERTIFICATE OF COMPLIANCE

Certificate Number 20171212-E44653
Report Reference E44653-19931029
Issue Date 2017-DECEMBER-12

Issued to: SIEMENS AG
I IA CE
WERNER-VON-SIEMENS-STRASSE 48
92220 AMBERG GERMANY

**This is to certify that
representative samples of**

AUXILIARY DEVICES
See Addendum for Models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 60947-1 & CSA C22.2 NO. 60947-1-13, Low-Voltage
Switchgear and Controlgear — Part 1: General Rules
UL 60947-5-1 & CSA C22.2 NO. 60947-5-1-14, Low-
Voltage Switchgear and Controlgear - Part 5-1: Control
Circuit Devices and Switching Elements -
Electromechanical Control Circuit Devices

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20171212-E44653
Report Reference E44653-19931029
Issue Date 2017-DECEMBER-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Contact Blocks, Lamp Holders and Transformers – Cat. No. 3SB34; followed by 00, 02, 03, 11, 20 or 23, followed by 0A, 0B, 0C, 0D, 0E, 0F, 0G, 0H, 0J, 0K, 0L, 0M, 0N, 0P, 0Q, 1A, 1B, 1C, 1D, 1F, 1G, 1H, 1J, 1L, 1M, 1N, 1PA, 1PB, 1PC, 1PD, 1PE, 1QA, 1QB, 1QC, 1QD, 1QE, 1RA, 1RB, 1RC, 1RD, 1RE, 2A, 2D, 2F, 2G, 2H, 3A, 3C, 3E, 3F, 3M, 3P, 3S, 3U, 3W, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5H, 5J, 6A, 6B, 6C, 6D, 6H, or 6K followed by a suffix of numbers or / and letters for manufacturers use only.


Pushbuttons, momentary non-illuminated – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 00, 01, 02, 03, 08, 10, 11, 33, 34, or 35; followed by 0A, 0B, 0C, 1D, 1G, 1Q, 1S, 1V, 1W, 7A, 7B, 7C, 7S, 7V, 7W, 8A, 8C: followed by A1, A2, A3, A4, A5, A6, A7, A8, B0, B1, B2, B3, B4, B5, B6, B7, C0, C1, C2, C3, C4, C5, C6, C7, C8 followed by a suffix of numbers or / and letters for manufacturers use only.

Pushbuttons, momentary illuminated – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 01, 04, 05, 06, 07, 12, 13, 14, 15, 16, 18, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 50, 51, 53, 54, or 55; followed by 0A, 0B, 0C, 0D, 1D, 1G, 1Q, 1S, 1V, 1W, 7S, 7V, 7W, 8B, 8D: followed by A0, A2, A3, A4, A5, A6, A7, A8, B0, B1, B3, B6, B7, C0, C1, C2, C3, C4, C5, C6, C7 followed by a suffix of numbers or / and letters for manufacturers use only.

Pushbuttons maintained – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 00, 01, 02, 03, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 50, 51, 53, 54, or 55; followed by 0D, 1A, 1B, 1C, 1E, 1F, 1H, 1J, 1K, 1L, 1M, 1N, 1P, 1R, 1S, 1T, 1U, 1V, 1W, 1X or 1Y: followed by A0, A1, A2, A3, A4, A5, A6, A7, A8, B0, B1, B2, B3, B4, B5, B6, B7, C0, C1, C2, C3, C4, C5, C6, C7, N6 or R2 followed by a suffix of numbers or / and letters for manufacturers use only.

Pilot Lights – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 01, 04, 12, 17, 22, 23, 27, 36, 40, 44, 48, 52 or 61: followed by 6A, 6B, or 6C; followed by A0, A2, A3, A4, A5, A6, A7, B6, B7 followed by a suffix of numbers or / and letters for manufacturers use only.

Selector Switches non-illuminated and keyed operators – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 00, 01, 02, 03, 08, 10, or 11; followed by 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J, 2K, 2L, 2M, 2N, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 3P, 3Q, 3R, 3S, 3T, 3U, 3V, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4L, 4M, 4N, 4P, 4Q, 4R, 4S, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5L, 5M, 5N, 5P, 5Q, 5R, or 5S: followed by A1, A2, A3, A4, A5, A6, A7, B5, B6, B7, D0, D1, D2, D3, D4, D5, D6, E0, E1, E2, E3, E4, E5, E6, E7, F0, F1, G1, G2, G3, G4, G5, G6, H0, H1, H2, H3, H4, H5, H6, J0, J1, J2, J3, J4, J5, J6, K0, K1, J2, K3, K4, K5, K6, L0, L1, L2, L3, L4, L5, L6, M0, M1, M2, M3, M4, M5, M6, N0, N1, N2, N3, N4, N5, or N6 followed by a suffix of numbers or / and letters for manufacturers use only.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20171212-E44653
Report Reference E44653-19931029
Issue Date 2017-DECEMBER-12

Selector switches, illuminated operators – Cat. No. 3SB3 followed by 0, 1, or 5; followed by 01; followed by 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J, 2K, 2L, 2M, 2N, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 3P, 3Q, 3R, 3S, 3T, 3U, or 3V; followed by A0, A2, A3, A4, A5, A6, A7, A8, B6, B7 followed by a suffix of numbers or / and letters for manufacturers use only.

Operators – Cat. No. 3SB3 followed by 0, 1, 2, 3, 4, 5, or 6; followed by 00, 01, 02, 03, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, or 66; followed by 0A, 0B, 0C, 0D, 0E, 1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, 1J, 1K, 1L, 1M, 1N, 1P, 1Q, 1R, 1S, 1T, 1U, 1V, 1W, 1X, 1Y, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J, 2K, 2L, 2M, 2N, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 3P, 3Q, 3R, 3S, 3T, 3U, 3V, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4H, 4L, 4M, 4N, 4P, 4Q, 4R, 4S, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5L, 5M, 5N, 5P, 5Q, 5R, 5S, 6A, 6B, 6C, 7A, 7B, 7C, 7S, 7V, 7W, 8A, 8B, 8C, 8D; followed by A0, A1, A2, A3, A4, A5, A6, A7, A8, B0, B1, B2, B3, B4, B5, B6, B7, C0, C1, C2, C3, C4, C5, C6, C7, D0, D1, D2, D3, D4, D5, D6, E0, E1, E2, E3, E4, E5, E6, E7, F0, F1, G1, G2, G3, G4, G5, G6, H0, H1, H2, H3, H4, H5, H6, J0, J1, J2, J3, J4, J5, J6, K0, K1, J2, K3, K4, K5, K6, L0, L1, L2, L3, L4, L5, L6, M0, M1, M2, M3, M4, M5, M6, N0, N1, N2, N3, N4, N5, N6, P1, Q1, T1, or R1, followed by a suffix of numbers or / and letters for manufacturers use only.

Potentiometer Drive – Cat. No. 3SB1000-7CH07 or 3SB1000-7CJ07

Illuminated backplate for E – Stop - Cat. No. 3SB3921-0DA

Accessories – Cat. No. 3SB followed by 19, 29, 39 followed by a suffix of numbers or / and letters for manufacturers use only. Cat. No. 3SY and 3SX followed by a suffix of numbers.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

